

# REFERENTIES

- Abdulrazzaq, Y. M., Al Kendi, A., & Nagelkerke, N. (2009). Soothing methods used to calm a baby in an Arab country. *Acta Paediatr.*, 98(2), 392-396. doi:10.1111/j.1651-2227.2008.01029.x
- Adam-Darque, A. et al. (2021). Shedding light on excessive crying in babies. *Pediatr. Res.*, 89(5), 1239-1244. doi:10.1038/s41390-020-1048-6
- Adriaenssens, P. (2016). *Opvoeden is een groeiproces. Wegwijzer voor vaders en moeders*. Tiel: Lannoo.
- Akhnikh, S., Engelberts, A. C., van Sleuwen, B. E., L'Hoir, M. P., & Benninga, M. A. (2014). The excessively crying infant: Etiology and treatment. *Pediatr. Ann.*, 43(4), 69-76. doi:10.3928/00904481-20140325-07
- Alhusen, J. L., Hayat, M. J., & Gross, D. (2013). A longitudinal study of maternal attachment and infant developmental outcomes. *Arch. Womens. Ment. Health*, 16(6), 521-529. doi:10.1007/s00737-013-0357-8
- Anand, K. J. S., & Hickey, P. R. (1987). Pain and its Effects on the Human Neonate and Fetus. *N. Engl. J. Med.*, 317(21), 1321-1329.
- Antequera-soler, E., & Chill, R. (2023). Osteopathic Manual Therapy for Infant Colic: A Randomised Clinical Trial. *Healthcare*, 11(18), 2600.
- Bağ SÖ, Güney A, Binici, Nagihan Cevher Tuncel T, Şahin A, Berksoy E, & Ecevit Ç. Infant colic or early symptom of autism spectrum disorder? *Pediatr Int.* 2018;60(6).
- Barr, R. G. (1990). The normal crying curve: what do we really know?, *Dev. Med. Child Neurol.*, 32(4), 356-362.
- Bosmans G, & Borelli JL. Attachment and the Development of Psychopathology: Introduction to the Special Issue. *Brain Sci.* 2022;12(2). doi:10.3390/brainsci12020174
- Boychuck, R. B. (2003). *Infant Colic*.

- Brand, P. L. P., Engelbert, R. H. H., Helders, P. J. M., & Offringa, M. (2005). Systematisch literatuuronderzoek naar de effecten van behandeling bij zuigelingen met 'kopgewrichteninvloed bij storingen in de symmetrie' ('KISS-syndroom'). *Ned. Tijdschr. Geneesk.*, 149(22), 703-707.
- Buss AH, & Plomin R. *A Temperament Theory of Personality Development*; 1975.
- Chess S, & Thomas A. Temperamental Individuality from Childhood to Adolescence. *J Am Acad Child Psychiatry*. 1977;16(2):218-226. doi:10.1016/S0002-7138(09)60038-8
- de Graaf, K. et al. (2023). Huilbaby's: een multidisciplinaire (samen)werkwijze. *Praktische Pediatrie*, 17(3), 16-24.
- De Pauw, S. (2009). *Temperament, persoonlijkheid en probleemgedrag bij jonge kinderen. Een follow-up studie gebaseerd op het model van Buss en Plomin en het vijf-factoren model*.
- Devdas, J. M., Mckie, X., Fox, A. T., & Ratageri, V. H. (2017). Food allergy in children. *Food Allergy Methods Detect. Clin. Stud.*, 14-34. doi:10.1201/9781315151786
- Douglas, P., & Hill, P. (2011). Managing infants who cry excessively in the first few months of life. *BMJ*, 343(7836), 1265-1269. doi:10.1136/bmj.d7772
- Edwards, C. W., & Younas, M. A. (2023). Cow Milk Allergy. *Statpearls*.
- Festinger, L. (1957). *A theory of cognitive dissonance*.
- Franke, H., Franke, J., & Fryer, G. (2022). Effectiveness of osteopathic manipulative treatment for pediatric conditions: A systematic review. *J Bodyw Mov Ther.*, 31, 113-133. doi:10.1016/j.jbmt.2022.03.013
- Garratt, R. et al. (2019). Parents' experiences of having an excessively crying baby and implications for support services. *J. Heal. Visit.*, 7(3), 132-140. doi:10.12968/johv.2019.7.3.132
- Gustafsson, E., Levréro, F., Reby, D., & Mathevon, N. (2013). Fathers are just as good as mothers at recognizing the cries of their baby. *Nat. Commun.*, 4, 1-6. doi:10.1038/ncomms2713
- Harskamp-Van Ginkel, M. W., Klazema, W., Hoogsteder, M. H. H., Chinapaw, M. J. M., & van Houtum, L. (2023). The need of having a plan in excessive infant crying – A qualitative study of parents' experiences of healthcare support. *Acta Paediatr.*, 112(3), 434-441. doi:10.1111/apa.16618
- Hemmi, M. H., Wolke, D., & Schneider, S. (2011). *Associations between problems with crying, sleeping, and / or feeding in Infancy and long-term Behavioural Outcomes in Childhood – A Meta-Analysis*. Univ. Warwick.
- Hunziker, U. A., & Barr, R. G. (1986). Increased carrying reduces infant crying: a randomized controlled trial. *Pediatrics*, 77(5), 641-648.
- Koppen, I. J. N., Benninga, M. A., & Singendonk, M. M. J. (2017). Motility disorders in infants. *Early Hum. Dev.*, 114, 1-6. doi:10.1016/j.earlhumdev.2017.09.005

- Kurth, E., Spichiger, E., Zemp Stutz, E., Biedermann, J., Hösli, I., & Kennedy, H. P. (2010). Crying babies, tired mothers – challenges of the postnatal hospital stay: An interpretive phenomenological study. *BMC Pregnancy Childbirth*, 10(21). doi:10.1186/1471-2393-10-21
- Lowe, R. (2009). *Childhood through ages*.
- Ludington-Hoe, S. M., Cong, X., & Hashemi, F. (2002). Infant crying: nature, physiologic consequences, and select interventions. *Neonatal Netw.*, 21(2), 29-36. doi:10.1891/0730-0832.21.2.29
- Lux, U., Müller, M., Reck, C., Liel, C., & Walper, S. (2023). Linking maternal psychopathology to children's excessive crying and sleeping problems in a large representative German sample—The mediating role of social isolation and bonding difficulties. *Infancy*, 28(2), 435-453. doi:10.1111/inf.12514
- Luytten, H. (2019). *#nietaankindengezinvertellen. Bekentenissen van een loedermoeder*. Gent: Borgerhoff & Lamberigts.
- Lyubomirsky, S. (2008). *The how of happiness*.
- Meleis, A. I., Sawyer, L. M., Im, E. O., Messias, D. A. K. H., & Schumacher, K. (2000). Experiencing transitions: An emerging middle-range theory. *Adv. Nurs. Sci.*, 23(1), 12-28. doi: 10.1097/00012272-200009000-00006
- Nguyen, J., Smith, L., Hunter, J., & Harnett, J. E. (2019). Conventional and complementary medicine health care practitioners' perspectives on interprofessional communication: A qualitative rapid review. *Med.*, 55(10), 1-17. doi:10.3390/medicina55100650
- Ohmura, N. et al. (2022). A method to soothe and promote sleep in crying infants utilizing the transport response. *Curr. Biol.*, 32(20), 4521-4529.e4. doi:10.1016/j.cub.2022.08.041
- Oldbury, S., & Adams, K. (2015). The impact of infant crying on the parent-infant relationship. *Community Pract.*, 88(3), 29-34.
- Olsson, M. B., Carlsson, L. H., Westerlund, J., Gillberg, C., & Fernell, E. (2013). Autism before diagnosis: Crying, feeding and sleeping problems in the first two years of life. *Acta Paediatr. Int. J. Paediatr.*, 102(6), 635-639. doi:10.1111/apa.12229
- Posadzki, P., Kyaw, B. M., & Dziedzic, A. (2022). Osteopathic Manipulative Treatment for Pediatric Conditions : An Update of Systematic Review and Meta-Analysis. *J Clin Med.*, 11(15), 4455.
- Radesky, J. S. et al. (2013). Inconsolable Infant Crying and Maternal Postpartum Depressive Symptoms. *Pediatrics*, 131(6).
- Røseth, I., Bongaardt, R., Lyberg, A., Sommerseth, E., & Dahl, B. (2018). New mothers' struggles to love their child. An interpretative synthesis of qualitative studies. *Int. J. Qual. Stud. Health Well-being*, 13(1). doi:10.1080/17482631.2018.1490621
- Rothbart MK, & Derryberry D. Development of individual differences in temperament. *Adv Dev Psychol*. 1981;1(january):37-86.

- Shiner, R. L., Buss, K. A., Mcclowry, S. G., Putnam, S. P., Saudino, K. J., & Zentner, M. (2012). What Is Temperament Now? Assessing Progress Temperament Research on the Twenty-Fifth Anniversary of Goldsmith et al. *Child Dev. Perspect.*, 6(4), 436-444. doi:10.1111/j.1750-8606.2012.00254.x
- Siegenthaler, M. H. (2017). Unresolved Congenital Torticollis and Its Consequences: A Report of 2 Cases. *J. Chiropr. Med.*, 16(3), 257-261. doi:10.1016/j.jcm.2017.05.004
- Singh, J. K., & Menahem, S. (2023). The five 'S's' and the 'SNOO' Smart Sleeper—non-pharmacological interventions (NPI) to promote sleep and reduce crying of infants: a scoping review. *Transl. Pediatr.*, 12(8), 1527-1539. doi:10.21037/tp-23-42
- St James-Roberts, I., & Conroy, S. (2005). Do pregnancy and childbirth adversities predict infant crying and colic? Findings and recommendations. *Neurosci. Biobehav. Rev.*, 29(2), 313-320. doi:10.1016/j.neubiorev.2005.01.001
- St James-Roberts, I. et al. (2019). A support package for parents of excessively crying infants: Development and feasibility study. *Health Technol. Assess.*, 23(56), v-144. doi:10.3310/hta23560
- Stifter, C. A., & Moding, K. J. (2018). Infant temperament and parent use of food to soothe predict change in weight-for-length across infancy: early risk factors for childhood obesity. *Int. J. Obes.*, 42(9), 1631-1638. doi:10.1038/s41366-018-0006-4.
- Strelau, J. (2020). Temperament. *Encyclopedia of Personality and Individual Differences*.
- Sung, V., Collett, S., De Gooyer, T., Hiscock, H., Tang, M., & Wake, M. (2013). Probiotics to prevent or treat excessive infant crying systematic review and meta-analysis. *JAMA Pediatr.*, 167(12), 1150-1157. doi:10.1001/jamapediatrics.2013.2572
- Super, C. M., Blom, M. J. M., Harkness, S., Ranade, N., & Londhe, R. (2021). Culture and the organization of infant sleep: A study in the Netherlands and the U.S.A. *Infant Behav. Dev.*, 64, 1-19. doi:10.1016/j.infbeh.2021.101620
- Tammentie, T., Paavilainen, E., Åstedt-Kurki, P., & Tarkka, M. T. (2004). Family dynamics of postnatally depressed mothers – Discrepancy between expectations and reality. *J. Clin. Nurs.*, 13(1), 65-74. doi:10.1046/j.1365-2702.2003.00824.x
- Taubman, B. (1984). Clinical trial of the treatment of colic by modification of parent-infant interaction. *Pediatrics*, 74(6).
- Tighe, M., Afzal, N., Bevan, A., Hayen, A., Munro, A., & Beattie, M. (2023). Pharmacological treatment for gastro-oesophageal reflux in children. *Cochrane Database Syst. Rev.*, 99(Suppl 1), 7-9.
- Van Der Wal, M. F., Van Eijsden, M., & Bonsel, G. J. (2007). Stress and emotional problems during pregnancy and excessive infant crying. *J. Dev. Behav. Pediatr.*, 28(6), 431-437. doi:10.1097/DBP.0b013e31811ff8f4

- Van Sleuwen, B. E. et al. (2006). Comparison of behavior modification with and without swaddling as interventions for excessive crying. *J. Pediatr.*, 149(4), 512-517. doi:10.1016/j.jpeds.2006.06.068
- Vermillet, A. Q., Tølbøll, K., Litsis Mizan, S., Skewes, J. C., & Parsons, C. E. (2022). Crying in the first 12 months of life: A systematic review and meta-analysis of cross-country parent-reported data and modeling of the 'cry curve'. *Child Dev.*, 93(4), 1201-1222. doi:10.1111/cdev.13760
- Webb, S. J., & Jones, E. J. H. (2017). Early Identification of Autism: Early Characteristics, Onset of Symptoms, and Diagnostic Stability Sara. *Physiol. Behav.*, 176(5), 139-148. doi:10.1097/IYC.0b013e3181a02f7f.Early
- Wolke, D., Bilgin, A., & Samara, M. (2017). Systematic Review and Meta-Analysis: Fussing and Crying Durations and Prevalence of Colic in Infants. *J. Pediatr.*, 185, 55-61.e4. doi:10.1016/j.jpeds.2017.02.020
- Wurmser, H. et al. (2006). Association between life stress during pregnancy and infant crying in the first six months postpartum: A prospective longitudinal study. *Early Hum. Dev.*, 82(5), 341-349. doi:10.1016/j.earlhumdev.2005.09.016
- Zeifman, D. M., & St James-Roberts, I. (2013). Parenting the Crying Infant. *J. Pediatr.*, 176(5), 139-148. doi:10.1016/j.copsyc.2017.02.009.Parenting